

Capacity Markets and Wholesale Market Outcomes

PRESENTED AT:

NBER

Economics of Electricity Markets and Regulation Workshop

PRESENTED BY

Johannes Pfeifenberger

May 28, 2019

THE **Brattle** GROUP



Agenda

- I. Why Capacity Markets?**
- II. Capacity Market Experience and Performance**
- III. Broader Context: Wholesale Power Market Trends and Challenges**

Why Capacity Markets?

Main Reason: “Resource Adequacy” requirements are more stringent than economically justified


- Widely- and long-used RA standard: outages due to generation-shortages should occur only once in 10 years (the “1-in-10-year” standard)
 - Implies a Value of Lost Load (VOLL) that is approximately 10-times higher than the (risk-neutral) economic cost of outages
 - As a result, energy-only markets yields RA outcomes below what is acceptable from a public policy and operator preference perspective
- High RA requirement creates a capacity market, even if not centralized

RA outcome may even be below economically-optimal levels:

- Energy-market designs and system-operator actions that suppress prices
- Low price caps, inadequate scarcity pricing, poor integration of demand-response
- Challenging investment risks (e.g., in hydro-dominated markets)
- Incomplete or poorly-designed ancillary service markets

Capacity Value Created by a Resource Adequacy Requirement

ERCOT Example: Projected 2022 Market Equilibrium Reserve Margin




Sources and Notes: Newell et. al., *Estimation of the Market Equilibrium and Economically Optimal Reserve Margins for the ERCOT Region—2018 Update* ("2018 MERM Report"), Figure 5.


http://files.brattle.com/files/15258_estimation_of_the_market_equilibrium_and_economically_optimal_reserve_margins_for_the_ercot_region.pdf.

Marginal Unit Net Energy Revenue represents the net revenue from a mix of added CCs and CTs (77:23 ratio); the CONE shown at \$93.1/kW-year reflects this mix as well.

Comparison of ERCOT Market Design with and without 1-in-10 RA Requirement



Additional Challenge of Energy-Only Market: Volatility in Annual Average Prices



Energy-only markets present unique investment-cost recovery and policy challenges:

- Annual averages tend to be below expected probability-weighted average most of the time
- **Cost recovery driven by 1-in-5 to 1-in-20 year scarcity events**
- High annual prices and load shed events driven by scarcity often not acceptable from public policy perspective

Comparison of ERCOT Market Design with and without 1-in-10 RA Requirement

		Energy-Only Market		Capacity Market at 1-in-10	
		Base Case	Sensitivity Cases	Base Case	Sensitivity Cases
Equilibrium Reserve Margin	(%)	11.5%	9.3%-12.9%	14.1%	12.6% - 16.1%
Realized Reliability					
Loss of Load Events	(events/yr)	0.33	0.27 - 0.85	0.10	0.10 - 0.10
Loss of Load Hours	(hours/yr)	0.86	0.68 - 2.37	0.23	0.22 - 0.23
Normalized EUE	(% of MWh)	0.0004%	0.0003% - 0.0013%	0.0001%	0.00008% - 0.0001%
Economics in Average Year					
Energy Price	(\$/MWh)	\$58	\$58 - \$60	\$48	\$46 - \$53
Capacity Price	(\$/kW-yr)	\$0	\$0 - \$0	\$39	\$30 - \$60
Supplier Net Revenue	(\$/kW-yr)	\$122	\$97 - \$122	\$122	\$97 - \$122
Average Customer Cost	(¢/kWh)	10.1¢	10.1¢ - 10.7¢	10.2¢	10.2¢ - 10.8¢
Total Customer Costs	(\$B/Yr)	\$35.7	\$35.7 - \$37.8	\$36.1	\$36.0 - \$38.3
Economics in Top 10% of Years					
Energy Price	(\$/MWh)	\$99	\$95 - \$102	\$65	\$58 - \$77
Capacity Price	(\$/kW-yr)	\$0	\$0 - \$0	\$76	\$30 - \$116
Supplier Net Revenue (Unhedged)	(\$/kW-yr)	\$362	\$173 - \$444	\$249	\$152 - \$302
Supplier Net Revenue (80% Hedged)	(\$/kW-yr)	\$244	\$119 - \$259	\$193	\$128 - \$289
Average Customer Cost (Unhedged)	(¢/kWh)	15.1¢	13.4¢ - 23.0¢	12.9¢	12.4¢ - 17.9¢
Average Customer Cost (80% Hedged)	(¢/kWh)	12.6¢	9.8¢ - 21.8¢	11.7¢	10.2¢ - 17.7¢
Total Customer Costs (Unhedged)	(\$B/Yr)	\$53.6	\$37.4 - \$81.5	\$45.7	\$43.9 - \$63.3
Total Customer Costs (80% Hedged)	(\$B/Yr)	\$44.7	\$34.6 - \$77.2	\$41.5	\$36.2 - \$62.9

Agenda

- I. Why Capacity Markets?
- II. Capacity Market Experience and Performance**
- III. Broader Context: Wholesale Power Market Trends and Challenges

Capacity Market Experience to Date


Centralized capacity markets are meeting objectives:

- Meeting resource adequacy objectives
 - All markets in surplus or balance
- Fostering competition to lower costs
 - Retention of existing capacity
 - Surprising amounts of new DR, uprates, and imports
 - Need for costly new generation was deferred
 - Clearing prices have generally been far below expected costs, even with new entry
- Supporting merchant generation entry
 - PJM attracted over 26 GW new generation in past 7 auctions, majority from merchants

Many ongoing refinements have been needed to ensure resources provide the reliability they advertise, to mitigate price volatility and address market power


Case Study: PJM Attracting New Entry

25 GW of coal capacity retired in only a few years due to Mercury and Air Toxics Standards; the capacity market responded with replacement capacity, incl. merchant generation, DR, imports



Design Element: Forward and Commitment Periods

Forward Periods in Other Markets




Commitment Period 1 year *except*

- 1 to 6 months in NYISO
- ISO-NE offers new 7-year price lock
- UK offers new 15-year term; 3 for refurbishments
- Ireland offers new up to 10-year term



Design Element: Capacity Market Demand Curves

Administrative Demand Curves, by Market



Capacity Price Levels and Trends

Capacity Prices in Selected Markets




Many regulatory and policy uncertainties will impact capacity markets & prices going forward

Design Element: “Capacity Performance” Penalties

PJM and ISO-NE introduced penalties for capacity resources that are not available during reliability events

- Penalties increase risks, particularly for older existing resources
- Increased price of capacity offers (but most pronounced in lower-end portion of supply curve)

Increased capacity prices by approx. \$20/MW-day (10-20%) in PJM



Sources:

<https://www.pjm.com/~media/markets-ops/rpm/rpm-auction-info/2019-2020-base-residual-auction-report.ashx>

<https://www.pjm.com/-/media/library/reports-notice/special-reports/2018/20180420-pjm-2018-variable-resource-requirement-curve-study.ashx?la=en>


Capacity Repricing Debate: How to Adjust for the Effects of State Policies?

Some ISOs are concerned that increasing policy-supported resources undercut investment incentives. Their solution is:


- Restore capacity prices to the higher level that would exist without subsidies
- Introduce two-stage auctions with side payments to resources that don't clear even though they offered below the clearing price

But these solutions do not address the real problem: market forces working at cross-purposes with clean energy goals

PJM Stage 1: Set Capacity Obligations



PJM Stage 2: Set Higher Capacity Prices



Source: [PJM Filing](#) before the FERC (October 2, 2018)

Our Top-10 Characteristics of Successful Capacity Markets

Experience with resource adequacy designs from the last decade strongly suggests that successful capacity markets require:

1. Well-defined resource adequacy needs and drivers of that need
2. Clear understanding why the current market design will not achieve resource adequacy targets without a capacity construct
3. Clearly-defined capacity products, consistent with needs
4. Well-defined obligations, auctions, verifications, and monitoring
5. Efficient spot markets for energy and ancillary service
6. Addressing locational reliability challenges
7. Participation from all resource types
8. Carefully-designed forward obligations
9. Staying power to reduce regulatory risk while improving designs and addressing deficiencies
10. Capitalizing and building on experience from other markets

Capacity Markets are Not a Silver Bullet to Address all New Industry Challenges

Don't prematurely implement capacity markets...

- ...without a clear understanding of the resource adequacy needs and the drivers of these needs
- ...that explicitly or inadvertently:
 - discriminate between existing and new resources
 - exclude participation by demand-side and renewable resources
 - ignore locational constraints and transmission interties
- ...just to add revenues for certain resources or to address a perceived lack of long-term contracting
- ...while also providing out-of-market payments to some resources (including long-term contracts) that oversupply the market and distort both short- and long-term investment signals
- ...without understanding and addressing deficiencies in energy and ancillary service markets, including the increasing need for more flexible (ramping) capacity

Agenda


- I. Why Capacity Markets?
- II. Capacity Market Experience and Performance
- III. Broader Context: Wholesale Power Market Trends and Challenges**

Electricity Industry Trends & Challenges

1. Substantial and continuing cost reductions in solar and wind resources will increasingly dominate the grid with low-marginal-cost generation
2. Low natural gas prices place significant downward pressure on coal and nuclear plants
3. Reduced growth in traditional electricity consumption
4. Strong customer and policy preferences for clean energy will shift resource mix beyond what is supported by current price signals
5. Increasing electrification of transportation, industrial processes, and home heating could double electricity demand by 2050
6. Declining cost of battery storage will fundamentally change the functioning of electricity markets

These are significant changes that utilities, grid operators, and regulators have to manage


New Generation Technologies Are Rapidly Overtaking Traditional Supply



Sources: Energy Velocity Suite (US and Canadian generation) and Brattle research (US-only distributed resource and storage).

Energy Market Prices Decline with a Clean, Low-Marginal-Cost Generation Fleet...


Ontario example: very low or negative prices (1) with a 90% clean and low-marginal-cost fleet and (2) low natural gas prices



Changing Supply Mix = Need for More Flexibility


The more diverse supply mix creates new resource adequacy challenges and requires significantly more operational flexibility

Electricity Demand and Traditional Supply Mix



Source: The Brattle Group.

Electricity Demand and Supply Mix with High Renewable Generation



Source: The Brattle Group.


Revenue Sources will Shift from Energy to Other “Products”

Markets designed for a clean, low-marginal-cost resource mix will need to focus more on flexibility and clean-energy products

Market	Value	Market Implications
Average Energy		Lower energy prices during low-load and on average in most hours will most strongly affect baseload and dominant variable resources
Scarcity Pricing		But higher peak prices, driven by volatility, scarcity pricing, and demand response/storage; rewards fast-response resources
Flexibility & Reserves		- Need for greater quantities and new types of flexibility products - Higher ramping needs reward flexibility
Capacity		- Value may go up or down - Down if additional clean energy contributes to excess supply for a period, or if new capacity sellers are attracted by other value streams - Up if new fossil plants are needed for capacity, but only a small portion of their capital costs can be recovered from other markets
Clean Attributes		- Some form of CO₂ pricing and/or clean energy payments introduced to meet policy and/or customer demand - Value must be large enough to attract new clean resources
Adjacent Customer & Distribution Markets		- Technology and consumer-driver demand for adjacent products and services (smart home, electric vehicles) - Participation may overlap with wholesale, clean, and retail/distribution markets
Geographic Diversification		Increasing value of larger markets and trade/diversification across market seams through inter-regional grids

How Will Clean Energy Products be Integrated into Regional Markets?

For wholesale markets to stay relevant, clean energy product markets are the “missing link” to align market design with customers & states’ needs



Product Markets: Mobilize Competition from a Wide Range of Resources

Compared to asset-based planning and procurement, technology-neutral (capability-based) product markets are more competitive

<u>Products</u>	<u>Resources/Technologies (Existing and New)</u>												Number of Competing Technologies
	Nuclear	RoR Hydro	Hydro w/ Storage	Coal	CC	CT	Wind	Solar	Battery Storage	DR	EE	Imports	
DA Energy	✓	✓	✓	✓	✓	○	✓	✓	○	○	○	✓	10
RT Energy (5 min)	○	✓	✓	✓	✓	○	✓	✓	○	○	○	○	9
Regulation	✗	✓	✓	✓	✓	○	○	○	✓	○	✗	○	7.5
Spinning Reserves	✗	○	✓	✓	✓	✓	✗	✗	✓	○	✗	○	6.5
Non-Spinning Reserves	✗	✗	✓	✗	✓	✓	✗	✗	✓	○	✗	○	5
Load following / Flexibility	○	○	✓	○	✓	✓	○	○	✓	○	✗	○	7.5
Capacity / Res. Adequacy	✓	○	✓	✓	✓	✓	○	○	○	✓	✓	✓	10
Clean Energy	✓	✓	✓	✗	○	○	✓	✓	○	○	✓	✓	9
Reactive / Voltage Support	✓	✓	✓	✓	✓	✓	○	○	✓	✗	✗	○	8.5
Black Start	✗	✓	✓	○	✓	✓	✗	✗	○	✗	✗	○	6

Legend

Technical Capability to Provide Service

- ✓ Well Suited (1.0)
- Neutral (0.5)
- ✗ Not / Poorly Suited (0)

Takeaways on Shifting Industry Trends

De-marginalization of wholesale power markets will fundamentally shift revenue streams and require changes in market design

- Wholesale power markets were built around 20th-century generation technology. They will need to evolve with entry of new technologies.
- Revenues will shift from “energy” to scarcity pricing, flexibility, and (hopefully dynamic) clean-energy products
- Customers and states want clean energy, with or without the help of centralized wholesale markets. If the wholesale markets do not evolve with the desires of customers and policy makers, they will become less relevant in the future.
- We need more comprehensive, technology-neutral “products” markets so that customers can benefit from increased products-based competition from the broadest possible set of resources
- Storage will be the intertemporal “glue” to enhance the market prices and value of both baseload and low-marginal-cost resources

Capacity markets provide a “safety net” — but only for resource adequacy. They can’t do things they weren’t designed for.

Johannes Pfeifenberger

Principal, Boston

+1.617.864.7900 (Main)

+1.617.234.5624 (Direct)

Hannes.Pfeifenberger@brattle.com



Mr. Johannes (Hannes) Pfeifenberger is an economist with a background in power engineering and over 20 years of experience in the areas of public utility economics and finance. He has published widely, assisted clients and stakeholder groups in the formulation of business and regulatory strategy, and submitted expert testimony to the U.S. Congress, courts, state and federal regulatory agencies, and in arbitration proceedings.

Hannes has extensive experience in the economic analyses of wholesale power markets and transmission systems. His recent experience includes RTO capacity market and resource adequacy designs, the analysis of transmission benefits, testimony in contract disputes, cost allocation, and rate design. He has performed market assessments, market design reviews, asset valuations, and cost-benefit studies for investor-owned utilities, independent system operators, transmission companies, regulatory agencies, public power companies, and generators across North America.

Hannes received an M.A. in Economics and Finance from Brandeis University and an M.S. in Power Engineering and Energy Economics from the University of Technology in Vienna, Austria.

Additional Reading

- Brown, Lessem, Lueken, Spees, and Wang, “High-Impact, Low-Probability Events and the Framework for Reliability in the National Electricity Market,” prepared for The Australian Energy Market Commission, February 2019.
- Newell, Spees, Carroll, Kaluzhny, with Carden, Wintermantel, Krasny (Astrape), “Estimation of the Market Equilibrium and Economically Optimal Reserve Margins for the ERCOT Region, 2018 Update,” prepared for ERCOT, December 20, 2018. (See also original 2014 report).
- Spees, Pfeifenberger, Newell, Chang, “Harmonizing Environmental Policies with Competitive Markets: Using Wholesale Power Markets to Meet State and Customer Demand for a Cleaner Electricity Grid More Cost Effectively,” discussion paper, July 2018.
- Chang, Spees, and Pfeifenberger, “Hello World: Alberta’s Capacity Market,” Presented at the 2018 IPPSA Conference, March 18, 2018
- Newell, Oates, Pfeifenberger, Spees, Hagerty, Pedtke, Witkin, Shorin, “Fourth Review of PJM’s Variable Resource Requirement Curve,” report prepared for PJM Interconnection LLC for submission to FERC and PJM stakeholders, April 16, 2018. (See also first three reviews from 2008, 2011, and 2014).
- Newell, Hagerty, Pfeifenberg, Zhou, Shorin, Fitz, with Gang, Duou, Wroble (Sargent & Lundy), “PJM Cost of New Entry Combustion Turbines and Combined-Cycle Plants with June 1, 2022 Online Date,” prepared for PJM, April 19, 2018. (See also prior reviews in 2011 and 2014).
- Newell, Pfeifenberger, Chang, Spees, “How wholesale power markets and state environmental Policies can work together,” Utility Dive, July 10, 2017.
- Pfeifenberger and Spees, “Characteristics of Successful Capacity Markets,” APEX, October 31, 2013.
- Spees, Newell, Pfeifenberger, “Capacity Markets: Lessons Learned from the First Decade,” *Economics of Energy & Environmental Policy*. Vol. 2, No. 2., 2013.
- Pfeifenberger, Spees, Carden and Wintermantel, “Resource Adequacy Requirements: Reliability and Economic Implications,” prepared for FERC, Sept. 2013.
- Pfeifenberger, Spees, Newell, “Resource Adequacy in California: Options for Improving Efficiency and Effectiveness,” October 2012.
- Newell, Spees, Pfeifenberger, Mudge, DeLucia, Carlton, “ERCOT Investment Incentives and Resource Adequacy,” June 2012.
- Pfeifenberger, Newell, “Trusting Capacity Markets: Does the Lack of Long-Term Pricing Undermine the Financing of New Power Plants?” *Public Utilities Fortnightly*. December 2011.
- Pfeifenberger, Spees, “Evaluation of Market Fundamentals and Challenges to Long-Term System Adequacy in Alberta’s Electricity Market,” April 2011 (Original Study), and March 2013 (Update).
- Newell, Spees, Hajos, “The Midwest ISO’s Resource Adequacy Construct: An Evaluation of Market Design Elements,” *The Brattle Group*, January 19, 2010.
- Hesmondalgh, Pfeifenberger, Robinson, “Resource Adequacy and Renewable Energy in Competitive Wholesale Electricity Markets,” BIEE, September 2010.
- Pfeifenberger, Spees, “Best Practices in Resource Adequacy,” PJM Long Term Capacity Issues Symposium, January 27, 2009.
- LaPlante, Chao, Newell, Celebi, Hajos, “Internal Market Monitoring Unit Review of the Forward Capacity Market Auction Results and Design Elements,” ISO New England and *The Brattle Group*, June 5, 2009.
- Newell, Bhattacharyya, Madjarov, “Cost-Benefit Analysis of Replacing the NYISO’s Existing ICAP Market with a Forward Capacity Market,” June 15, 2009.

About The Brattle Group

The Brattle Group provides consulting and expert testimony in economics, finance, and regulation to corporations, law firms, and governmental agencies worldwide.

We combine in-depth industry experience and rigorous analyses to help clients answer complex economic and financial questions in litigation and regulation, develop strategies for changing markets, and make critical business decisions.

Our services to the electric power industry include:

- Climate Change Policy and Planning
- Cost of Capital
- Demand Forecasting Methodology
- Demand Response and Energy Efficiency
- Electricity Market Modeling
- Energy Asset Valuation
- Energy Contract Litigation
- Environmental Compliance
- Fuel and Power Procurement
- Incentive Regulation
- Rate Design and Cost Allocation
- Regulatory Strategy and Litigation Support
- Renewables
- Resource Planning
- Retail Access and Restructuring
- Risk Management
- Market-Based Rates
- Market Design and Competitive Analysis
- Mergers and Acquisitions
- Transmission

Our Offices



BOSTON



NEW YORK



SAN FRANCISCO



WASHINGTON



TORONTO



LONDON



MADRID



ROME



SYDNEY